

SPARSH

A TOUCH OF CLASS


REMOTE
CONTROLLED
TOUCH SWITCHES

let's spend time
for more wonderful
things in life..



SAFECON[®]
comforts redefined

October 2013



REMOTE CONTROLLED TOUCH SWITCHES




designed for ultimate comfort...

Salient Features Of Safecon Sparsh Remote Controlled :

- Touch operated wiring devices work with remote control also. One remote control for 16 lights & 4 fans can be made available on request.
- Can be installed in all safecon modular plates.
Uses 2 module space for 4 switches. 16 switches can be installed in just 8 module space (4 switches per 2 module).
- Seven steps for fan regulator & light dimmers with easy to read digital display
- Also available for heavy load items like air-conditioners & geysers etc. (maximum load 30amp.)
- All devices are designed with isolated power supply (smpls). No risk of electric shock.
- Capacitance based touch switches & electro mechanical relays used for minimum 40,000 operations.
- Works on voltage range from 100v. To 300v.
- Working temperature range: -10 to 60 deg c.
- All on / All off key on remote to facilitate faster control in big premises



MODEL No.	RM-08
DESCRIPTION	8 LIGHT / 2 FAN
MRP./PC.	RS. 850/-



MODEL No.
DESCRIPTION

5500
4 SWITCHES

5501
3 SWITCHES
& 1 BELL SWITCH

5520
FAN REGULATOR

5510
LIGHT DIMMER



MAX. LOAD.
MRP./PC. RS./-

300 WATTS/CHANNEL
4,900

300 WATTS/CHANNEL
4,900

100 WATTS
4,900

300 WATTS
4,900



MODEL No.
DESCRIPTION

5500B
BELL SWITCH

5530
30A. SWITCH

5530T
30A. SWITCH
15 MIN. AUTO OFF

5500RI
CLEAN MY ROOM
DO NOT DISTURB
(INSIDE ROOM UNIT)

5500RO
CLEAN MY ROOM
DO NOT DISTURB
BELL SWITCH
(OUTSIDE ROOM UNIT)

MAX. LOAD.
MRP./PC. RS./-

300 WATTS
4,800

30 AMP.
4,800

30 AMP.
4,900

7,900 FOR SET



MODEL No.
DESCRIPTION

4500
4 SWITCHES

4501
3 SWITCHES
& 1 BELL SWITCH

4520
FAN REGULATOR

4510
LIGHT DIMMER

MAX. LOAD.
MRP./PC. RS./-

300 WATTS/CHANNEL
4,900

300 WATTS/CHANNEL
4,900

100 WATTS
4,900

300 WATTS
4,900



MODEL No.
DESCRIPTION

4500B
BELL SWITCH

4530
30A. SWITCH

4530T
30A. SWITCH
15 MIN. AUTO OFF

4500RI
CLEAN MY ROOM
DO NOT DISTURB
(INSIDE ROOM UNIT)

4500RO
CLEAN MY ROOM
DO NOT DISTURB
BELL SWITCH
(OUTSIDE ROOM UNIT)


MAX. LOAD.
MRP./PC. RS./-

300 WATTS
4,800

30 AMP.
4,800

30 AMP.
4,900

7,900 FOR SET



“No One should ever be satisfied with what he has achieved, but always endeavour to get better”

Our family has been manufacturing switches since 1957.

With this principle held by our founders, our work focuses on developing technology to benefit people against the backdrop of honesty & openness towards our customers.

On the basis of this approach & our extensive experience we aspire towards creating products of the highest quality & perfection.

Technical Expertise

The experience & innovative spirit of the highly inventive SAFECON brand guarantee superior technical developments & ability to combine reliable old technologies with new ones.

SAFECON therefore offers exemplary designed, holistic & perfected solutions that are driven by the needs of people and improve their quality by offering maximum user benefit.

SAFECON

AN ISO 9001:2008 COMPANY REGD.

MANUFACTURED BY:

KALA ELECTRICAL INDUSTRIES

MUMBAI- 400 072

TEL.: 022-28511943 / 28517731 ● FAX: 022-25824994

E-MAIL: safecon@hotmail.com, info@safeconelectricals.com

www.safeconelectricals.com